Warm-up!

To the right is the graph of $y = \cos x$



Apply your understanding of transformation of functions to find an equation for the graph to the right.



At what x-values do these graphs have points of inflection?

Periodic Graphs Day 3

- Sinusoidal Graphs

Homework: Sinusoidal Graphs HW

Quiz Class after Next

The Graph of $f(x) = \sin x$



Period: Frequency: Amplitude:

Domain: Range:

The Graph of $f(x) = \cos x$



Period: Frequency: Amplitude:

Domain: Range:

Complete the front and back of the notes

This is the graph of $y = \sin(x)$



This is the graph of $y = \cos(x)$



Apply your understanding of transformation of functions to try to find an equation for each of the following graphs



Sinusoidal Functions: Functions that result from reflections, dilations, and translations performed on the parent sine or cosine function

$a\sin\big(b(x+c)\big)+d$ or $a\cos\big(b(x+c)\big)+d$

Dilations

Recall:

- $y = af(x)$ vertically dilates by a factor of a
- $y = f(bx)$ horizontally dilates by a factor of $\frac{1}{b}$

For $f(x) = a\sin(bx)$ and $g(x) = a\cos(bx)$, (with $a \neq 0$ and $b \neq 0$)

$\text{Amplitude} = |a|$ and $\text{Period} = \frac{2\pi}{|b|}$

So, to find a and b you can always choose

$a = \text{Amplitude}$ and $b = \frac{2\pi}{\text{Period}}$

Translations

Recall:

- $y = f(x + c)$ horizontally translates
- $y = f(x) + d$ vertically translates

These transformations will affect the phase and midline of the parent graphs.

Phase Shift = The Horizontal Translation (should make the argument of the sine or cosine zero)

Midline = The horizontal line halfway between the minimum and maximum of the function

To find c and d, you can always choose

$c = -\text{start}$

$d = \text{midline}$

Let's Learn How to Find a, b, c, and d

https://qed-math.com/Applets/FRQ3BTrainer/index.html

Example 1



Write an equation of the form $f(x) = a\cos\big(b(x+c)\big) + d$

Write an equation of the form $f(x) = a\sin\big(b(x+c)\big) + d$

Example 2



Write an equation of the form $f(x) = a\sin\big(b(x+c)\big) + d$

Write an equation of the form $f(x) = a\cos\big(b(x+c)\big) + d$

Example 3



Write an equation of the form $f(x) = a\sin\big(b(x+c)\big) + d$

Write an equation of the form $f(x) = a\cos\big(b(x+c)\big) + d$

Sketch $y = 2\sin\left(\frac{\pi}{8}(x+3)\right) + 1$



Midline:

Amplitude:

y-values

Period:

Quarter Period:

Phase Shift/Start:

Sketch $y = 3\cos(2x) - 7$



Midline:

Amplitude:

y-values

Period:

Quarter Period:

Phase Shift/Start:

$f(x) = 4 + 2\sin(3x + 3\pi)$



Midline:

Amplitude:

y-values

Period:

Quarter Period:

Phase Shift/Start:

$$f(x) = 3\cos\left(\frac{\pi}{4}(x-1)\right) + 1$$



Midline:

Amplitude:

y-values

Period:

Quarter Period:

Phase Shift/Start:

$f(x) = 2\sin(4x - \pi) + 1$



Midline:

Amplitude:

y-values

Period:

Quarter Period:

Phase Shift/Start:

$$f(x) = -2\cos\left(4\left(x - \frac{\pi}{4}\right)\right) + 1$$



Midline:

Amplitude:

y-values

Period:

Quarter Period:

Phase Shift/Start:

One Graph, Multiple Possible Equations

As the previous examples have shown, many sinusoidal functions have the same graph

$$y = -\sin(x)$$

$$y = \cos\left(x + \frac{\pi}{2}\right)$$

$$y = -\cos\left(x - \frac{\pi}{2}\right)$$



Example 1



Write an equation of the form $f(x) = a\cos\big(b(x+c)\big) + d$ that uses a negative value of a.

Over the interval $54 < x < 60$, $f(x)$ is...
(A) Positive and Increasing
(B) Positive and Decreasing
(C) Negative and Increasing
(D) Negative and Decreasing

Find an expression for all x-values at which this graph has points of inflection

Example 2



Write an equation of the form $f(x) = a\sin\big(b(x+c)\big) + d$ that uses a negative value of a.

Over the interval $31 < x < 35$, is the graph of $f(x)$ concave up or concave down? Over that interval, is the rate of change of $f(x)$ increasing or decreasing?

Find an expression for all x-values at which this graph has maxima.

Example 3



Write an equation of the form $f(x) = a\sin\big(b(x+c)\big) + d$ that uses a negative value of a.

Over the interval $45 < x < 50$, $f(x)$ is...
(A) Positive and Increasing
(B) Positive and Decreasing
(C) Negative and Increasing
(D) Negative and Decreasing

Over the interval $45 < x < 50$, is the graph of $f(x)$ concave up or concave down? Over that interval, is the rate of change of $f(x)$ increasing or decreasing?

Consider the graph shown to the right. Which of the following is NOT a possible equation of this graph

(A) $y = -1 + 3\sin(2x)$
(B) $y = -1 - 3\sin(2x - \pi)$
(C) $y = -1 + 3\sin\big(2(x - \pi)\big)$
(D) $y = -1 + 3\cos\left(2x - \frac{\pi}{2}\right)$
(E) $y = -1 + 3\cos\left(2\left(x + \frac{\pi}{4}\right)\right)$
(F) $y = -1 - 3\cos\left(2\left(x - \frac{3\pi}{4}\right)\right)$



Even/Odd

$\sin(x)$ is an odd function



$\cos(x)$ is an even function



One of the following functions is even. One of the following functions is odd. One of the following functions is neither. Determine which is which.

$f(x) = 3\sin\left(x - \frac{\pi}{2}\right)$ $g(x) = 4 - \sin(2x)$ $h(x) = \cos\left(x + \frac{\pi}{2}\right)$